

کاملترین لیست اسامی مطالعات کوہورت سالمندی

انجام شده در دنیا

Aging cohort studies: A comprehensive list

تهیه شده توسط میلاد نظرزاده، زینب بیدل، دکتر علیرضا موسوی جراحی

Milad Nazarzadeh, Zeinab Bidel, Alireza Mosavi Jarrahi

مرکز تحقیقات سلامت سالمندی، دانشگاه علوم پزشکی سبزوار

Iranian Research Center on Healthy Aging (IRCHA)

این لیست بصورت ویژه صرفاً از طریق سایت مرکز تحقیقات سالمندی منتشر می‌شود و در نوع خود کاملترین لیست موجود در کل دنیا است. لذا کلیه حقوق نشر برای مرکز تحقیقات سالمندی و معاونت تحقیقات و فن آوری دانشگاه علوم پزشکی سبزوار محفوظ بوده و استفاده از مطالب آن بدون ذکر رفرنس به سایت مرکز تحقیقات خلاف اخلاق و قوانین نشر می‌باشد.

All publication rights reserved by Sabzevar University of Medical Sciences, Iran




مطالعه "کوهورت سالمندی سبزوار" به عنوان یک مطالعه منحصر به فرد در سطح کشور ایران و منطقه خاورمیانه، برای اولین بار به بررسی عوامل مرتبط با بیماری های مزمن سنین سالمندی، عوامل مرتبط با افزایش عمر و داشتن سالمندی سالمتر خواهد پرداخت. با توجه به لزوم استفاده از دانش و تجربیات سایر مطالعات انجام شده در دنیا و طراحی دقیق و علمی این مطالعه با الگو برداری از مطالعات کوهورت موفق در سطح دنیا و برقراری ارتباط با سایر محققین در این خط تحقیقاتی، پیش مطالعه مرور ساختارمندی به منظور شناسایی کلیه مطالعات کوهورت سالمندی موجود در دنیا، در مرکز تحقیقات سلامت سالمندی دانشگاه علوم پزشکی سبزوار انجام گرفت و برای اولین بار در سطح دنیا، لیست اسامی کلیه مطالعات کوهورت سالمندی دنیا در یک جا جمع گردید.

شرح این مطالعه مرور ساختارمند بدین صورت است که در تاریخ ۲۴ آگوست ۲۰۱۴، تعداد هشت پایگاه اطلاعاتی مورد جستجو قرار گرفت و رفرنس های مرتبط استخراج شد. در جستجوی اولیه تعداد ۵۸۳۱ مقاله استخراج شد. از این تعداد ۱۳۵۶ مقاله از طریق سیستم تکرار گیری نرم افزار اندنوت (find duplicates) به عنوان مقالات تکراری شناسایی شد و از این تعداد، ۷۳۴ مقاله به عنوان مقاله تکراری حذف گردید. نهایتاً ۵۰۹۷ عنوان مقاله غیرتکراری وارد مرحله غربالگری شد. از کل تعداد عنوانین اولیه (۵۰۹۷)، تعداد ۳۷۰۰ عنوان توسط پژوهشگر خانم، و تعداد ۳۶۱۵ عنوان توسط پژوهشگر مرد، غیر مرتبط شناخته شد و از مطالعه خارج شد. در مرحله بعدی یعنی غربالگری چکیده ها، ۱۳۹۷ چکیده مقاله توسط پژوهشگر خانم و ۱۴۸۲ چکیده توسط پژوهشگر مرد بررسی گردید و به ترتیب ۷۴۸ مقاله و ۵۳۰ مقاله، مرتبط شناخته شد. در مرحله بعد، کل چکیده های بررسی شده توسط دو پژوهشگر، روی هم ریخته شد (۱۲۷۸) و مقالات تکراری، یعنی اشتراک بین دو محقق خارج گردید (۲۱۸ مقاله). نهایتاً ۱۰۶۰ مقاله وارد



مرحله بعدی یعنی غربالگری توسط شخص ماهر و با تجربه شدند. شکل شماره ۱ نشان دهنده جزئیات مراحل انجام کار و انتخاب مقالات است.



شکل شماره ۱. فالوچارت مراحل انجام مرور ساختارمند مطالعات کوهورت سالمندی انجام شده در دنیا و تعداد مقالات انتخاب شده در هر مرحله

در مرحله بررسی توسط شخص ماهر، ۲۲۸ مقاله (۲۲۸-۱) که در چکیده آنها به یک مطالعه کوهورت آینده نگر سالمندی شاره شده بود انتخاب گردید و اسامی مطالعات لیست شد. لیست ۱۸۹ کوهورت سالمندی یافت شده به قرار زیر است:



1. The Basel longitudinal study on aging
2. THE ONTARIO LONGITUDINAL-STUDY ON AGING
3. The Koganei Study
4. Nottingham Longitudinal Study of Activity and Ageing
5. longitudinal gerontologic population study in Gothenburg (H-70)
6. Longitudinal Study of Aging (LSOA)
7. Duke University longitudinal studies of aging
8. Twenty-year longitudinal study on aged people in Budapest
9. Paquid is an interdisciplinary study designed to investigate cerebral and functional aging.
10. The Bonn Longitudinal Study on Aging (BOLSA)
11. Tampere Longitudinal Study of Ageing
12. The Normative Aging Study
13. Study of elderly Finnish men
14. Zutphen Elderly Study
15. San Antonio longitudinal study of aging
16. Baltimore Longitudinal Study on Aging
17. The MoVIES Project. Monongahela Valley Independent Elders Survey
18. The longitudinal study of epidemiology of aging in Copenhagen County, Denmark
19. A longitudinal study of a representative community sample of the elderly population in Hong Kong
20. Indianapolis Ibadan Study of Aging Cohort
21. Canadian Study of Health and Aging (CSHA)
22. Nationwide cohort of elderly Finnish twins
23. A longitudinal population-based study of elderly individuals (n = 1,373) in Nantes (western France)
24. The Bambui health and ageing study (BHAS)
25. The Honolulu-Asia Aging Study
26. The National Institute for Longevity Sciences Longitudinal Study of Aging (NILS-LSA)
27. The Berlin Aging Study (BASE)
28. The population-based Helsinki Aging Study (HAS)
29. Elderly Framingham Heart Study cohort
30. Quebec longitudinal study on aging
31. Italian Longitudinal Study on Aging (ILSA)
32. The Leipzig Longitudinal Study of the Aged population (LEILA75+)
33. The Women's Health and Aging Study II cohort
34. The Indianapolis Study of Health and Aging
35. SENECA Study on Nutrition and the Elderly in Europe
36. The Australian Longitudinal Study of Aging
37. The Korean Elderly Pharmacoepidemiology Cohort
38. The Osaka University Aged Twin Registry
39. The Honolulu-Asia aging study
40. Epidemiologic Studies in the Elderly (EPESE)
41. The New Mexico Aging Process Study
42. The Aging in Manitoba (AIM)
43. The gothenburg longitudinal study on aging
44. The Longitudinal Aging Study Amsterdam
45. The Massachusetts Male Aging Study
46. The MRC Cognitive Function and Ageing Study (CFAS)
47. The Swedish Adoption/Twin Study of Aging
48. Arnhem Elderly Study
49. Health, Aging, and Body Composition study
50. The Tampere Longitudinal Study on Aging
51. The Swedish National study on Aging and Care (SNAC)
52. The Health and Retirement Study
53. The Amirkola Health and Ageing Project (AHAP)
54. The Charlotte county healthy aging study (CCHAS)
55. The Hawaii Aging with HIV Cohort
56. Mexican Health Aging study
57. The Rush Memory and Aging Project:
58. The Boyd Orr lifegrid sub-sample-medical sociology study of life course influences on early old age
59. The Women's Health and Aging Study I
60. The Longitudinal Study of Aging (LSOA)
61. THE EINTSTEIN AGING STUDY
62. Aging and Longevity in the Sirente geographic area, ilSIRENTE
63. EVA (Epidemiology of Vascular Aging) Study
64. Medical Research Council Cognitive Function and Ageing Study; MRC-CFAS
65. EPIC-elderly prospective cohort study
66. The Maastricht Aging Study
67. The cross-sectional and longitudinal aging study (CALAS)



68. The Cardiovascular Health Study
69. the Medical Research Council Cognitive Function and Ageing Study (CFAS)
70. MRC CFAS cohort
71. The PAQUID elderly population-based cohort
72. The Turku Elderly Study
73. The MacArthur Study of Successful Aging
74. The Second Longitudinal Study of Aging (LSOA II)
75. The English longitudinal study of aging
76. The Mayo Clinic cohort study of personality and aging
77. The Brazilian elderly Amerindian heritage and the Very Old Italian-Brazilian Longitudinal Study on Aging
78. Tasmanian Older Adult Cohort Study
79. The San Luis Valley Health and Aging Study
80. The ULSAM cohort of Swedish elderly men
81. The Nagoya Longitudinal Study of Frail Elderly (NLS-FE)
82. The Cambridge City over-75s Cohort (CC75C)
83. Taiwan social environment and biomarkers of aging study
84. the Florey Adelaide male ageing study (FAMAS)
85. The Dubbo longitudinal study of older Australians
86. The Bronx Aging Study
87. The Quebec Longitudinal Study of Nutrition as a Determinant of Successful Aging (NuAge)
88. The Bambuí Health and Ageing Study (BHAS)
89. The Korean Longitudinal Study on Health And Aging (KLoSHA)
90. The Longitudinal Study of Aging Danish Twins
91. The Muenster Aging and Retina Study (MARS) cohort
92. the MRC Cognitive Function and Ageing Study (MRC CFAS)
93. The VA Normative Aging Study
94. The Veterans Aging Cohort 5-Site Study
95. The Hallym Longitudinal Study of aging
96. The Italian Longitudinal Study on Aging (ILSA)
97. Veterans Administration Normative Aging Study
98. The concord health and ageing in men project (CHAMP)
99. Longitudinal study of Alzheimer's disease
100. The EPICARDIAN cohort study
101. The longitudinal SMILE study
102. The Mayo Clinic Cohort Study of Personality and Aging
103. The Canadian Study on Health and Aging
104. The Fujiwara-kyo osteoporosis risk in men (FORMEN) study
105. The New Integrated Suburban Seniority Investigation (NISSIN) Project
106. The Iowa Women's Health Study
107. The Kungsholmen Project
108. The Health and Retirement Study
109. The Singapore Longitudinal Aging Study
110. The MacArthur Foundation Research Network on an Aging Society
111. The Vienna Transdanube Aging (VITA) study
112. The Canadian longitudinal study on aging (CLSA)
113. KORA S4/F4 cohort study
114. The cohort of elderly in Rome
115. Ansan Geriatric (AGE) cohort study
116. The National Social Life, Health, and Aging Project (NSHAP)
117. The prospective Shizuoka elderly cohort
118. The Prospective Shizuoka Elderly Cohort
119. the Hertfordshire Cohort Study
120. 'Sujet Age Fragile--Evaluation et Suivi' (SAFES) cohort
121. The National Social Life, Health, and Aging Project (NSHAP)
122. Elderly Cohort Of The Louisiana Healthy Aging Study
123. The French GAZEL Cohort Study
124. The dynamic analyses to optimize ageing (DYNOPTA) project
125. the Longitudinal Aging Study Amsterdam (LASA)
126. the Nottingham Longitudinal Study of Activity and Ageing (NLSAA)
127. cohort of elderly Taiwanese
128. the elderly in Ulm (ActiFE Ulm) study
129. The Shanghai Changfeng Study
130. KORA S4/F4 cohort study
131. the Leipzig Longitudinal Study of the Aged (LEILA 75+)
132. the Maracaibo Aging Study
133. The Sydney Memory and Ageing Study (MAS)
134. The BELFRAIL (BFC80+) study
135. the University of Alabama at Birmingham Study of Aging
136. the Healthy Aging of Women Study
137. The HALCyon (Healthy Ageing across the Life Course)
138. the SALIA cohort study
139. the Kangwha Cohort study
140. The Sacramento Area Latino Study on Aging
141. the Irish Longitudinal Study on Ageing



- 142.the MRC National Survey of Health and Development
- 143.The Bambui Cohort Study of Aging
- 144.the 3C study
- 145.the ages 2003 cohort study in Aichi, Japan
- 146.the Leisure World cohort study
- 147.the InCHIANTI Study.
- 148.The European Project on OSteoArthritis (EPOSA)
- 149.The Medical Research Council Cognitive Function and Ageing Study (CFAS)
- 150.the Australian longitudinal study of aging
- 151.The Victoria Longitudinal Study (VLS)
- 152.the SYNAPSE cohort
- 153.the Health and Retirements Study
- 154.the Chinese Longitudinal Health Longevity Study (CLHLS)
- 155.the Geriatric Multidisciplinary Strategy for the Good Care of the Elderly (GeMS) study
- 156.the Chicago Health and Aging Project
- 157.the SAFES cohort
- 158.the Beijing Longitudinal Study of Aging
- 159.the AGES Cohort Study
- 160.The Jerusalem Longitudinal Study
- 161.the Leiden Longevity Study
- 162.the AMI cohort
- 163.The ONCONUT cohort
- 164.cohort study for elderly Costa Ricans
- 165.The Proof cohort
- 166.Oxford Project to Investigate Memory and Ageing (OPTIMA) cohort
- 167.the Nihon University Japanese Longitudinal Study of Aging
- 168.the Korean Longitudinal Study on Health and Aging
- 169.the SAGES Cohort
- 170.Health and Retirement Study (HRS)
- 171.the English Longitudinal Study of Ageing (ELSA)
- 172.The Survey of Health, Ageing and Retirement in Europe (SHARE)
- 173.The MINOS cohort
- 174.the Irish Longitudinal Study on Ageing health assessment
- 175.The San Antonio Longitudinal Study of Aging
- 176.the VHM&PP cohort
- 177.The European Male Ageing Study
- 178. A Project FRONTIER (Facing Rural Obstacles to healthcare now Through Intervention, Education & Research) study
- 179.Healthy Ageing Twin Study (HATS)
- 180.the Coyoacan cohort study
- 181.The National Institute for Longevity Sciences-Longitudinal Study of Aging (NILS-LSA).
- 182.the Survey of Health and Living Status of the Elderly in Taiwan
- 183.Taiwan Longitudinal Study on Aging (TLSA)
- 184.The Berlin Aging Study II (BASE-II)
- 185.The Korean Social Life, Health, and Aging Project (KSHAP)
- 186.the Health and Retirement Study (HRS)
- 187.the Ohsaki Cohort 2006 study
- 188.The Melbourne Longitudinal Studies on Healthy Ageing Program
- 189.TwinsUK and Healthy Ageing Twin Study



از این تعداد، ۱۵ مقاله کوهرت پروفایل یافت شد و سپس اطلاعات مطالعات استخراج گردید. توضیح اینکه مقالات کوهرت پروفایل، مقالاتی هستند که توسط محققین مطالعات بزرگ همچون مطالعات کوهرت، کارآزمایی های بالینی چند مرکزی، مطالعات ثبت دوقلوها و مطالعات پیمایش وسیع، نوشته شده و به توصیف ویژگی های پایه و توصیفی مطالعه خود و هدف و اهمیت کار و متداول‌تری مطالعه می‌پردازد. جدول شماره ۲ اطلاعات استخراج شده از این مطالعات را نشان می‌دهد.

جدول شماره ۲. مشخصات مطالعات کوهرت سالمندی دارای مقاله کوهرت پروفایل.

First author	Cohort name	Date of conduction	Country	Sample size	Design*	Age	follow †
Nishi, A	The Aichi Gerontological Evaluation Study (AGES)	2003	Japan	13,310	CB	≥ 65	2 yr
Huisman, M	The Longitudinal Aging Study Amsterdam (LASA)	1992	Holland	3,805	CB	55-85	17 yr
Fernanda, M	The Bambui' (Brazil) Cohort Study of Ageing	1997	Brazil	1,607	CB	≥ 60	10 yr
Cumming, R	The Concord Health and Ageing in Men Project (CHAMP)	2005	Australia	1,705	SP	≥ 70	2 yr
Martin, S	The Florey Adelaide Male Ageing Study (FAMAS)	2001	Australia	1,195	SP	35-80	6 yr
Brayne, C	The Medical Research Council Cognitive Function and Ageing Study (CFAS)	1991	UK	2,500	CB	≥ 65	15 yr
Anstey, K	The Dynamic Analyses to Optimize Ageing (DYNOPTA) project	1990	Australia	50,652	Pooled	≥ 45	20 yr
Steptoe, A	The English Longitudinal Study of Ageing (ELSA)	2002	UK	11,391	CB	≥ 50	10 yr
Lee, D	The European Male Ageing Study (EMAS)	2003	European countries	3,369	CB	40-79	9 yr
Syddall, H	The Hertfordshire Ageing Study (HAS)	1920	UK	6,803	CB	0-5 yr	85 yr
Kearney, P	The Irish Longitudinal Study on Ageing (TILDA)	2009	Ireland	8,507	CB	≥ 50	3 yr
Kuh, D	MRC National Survey of Health and Development (NSHD)	2006	UK	2,176	CB	≥ 60	4 yr
Shaw, B	The Health and Retirement Study (HRS)	1998	USA	19,662	CB	≥ 50	10 yr
Browning, C	The Melbourne Longitudinal Studies on Healthy Ageing Program (MELSHA)	1994	Australia	1000	CB	≥ 65	17 yr
Moayyeri, A	Healthy Ageing Twin Study (HATS)	1992	UK	10,418	SP	≥ 45	18 yr

*Community based (CB) or special population (SP)

† Duration of follow up to publication of related cohort profile.



منابع

1. Lima-Costa M, Firmo J, Uchôa E. Cohort profile: the Bambui (Brazil) Health and Aging Study.
2. Mossey JM, Havens B, Roos NP, Shapiro E. The Manitoba longitudinal study on aging: description and methods. *The Gerontologist*. 1981;21(5):551-8.
3. Benfante R, Reed D, Brody J. Biological and social predictors of health in an aging cohort. *Journal of chronic diseases*. 1985;38(5):385-95.
4. Bruckner R, Batschelet E, Hugenschmidt F. The Basel longitudinal study on aging (1955-1978). Ophthalmological research results. *Documenta ophthalmologica Advances in ophthalmology*. 1986;64(3):235-310.
5. Hirdes JP, Brown KS, Vigoda DS, Forbes WF, Crawford L. HEALTH-EFFECTS OF CIGARETTE-SMOKING - DATA FROM THE ONTARIO LONGITUDINAL-STUDY ON AGING. *Canadian Journal of Public Health-Revue Canadienne De Sante Publique*. 1987;78(1):13-7.
6. Markides KS, Levin JS, Ray LA. Religion, aging, and life satisfaction: an eight-year, three-wave longitudinal study. *The Gerontologist*. 1987;27(5):660-5.
7. Cook NR, Evans DA, Funkenstein HH, Scherr PA, Ostfeld AM, Taylor JO, et al. Correlates of headache in a population-based cohort of elderly. *Archives of neurology*. 1989;46(12):1338-44.
8. Wolinsky FD, Arnold CL. A birth cohort analysis of dental contact among elderly Americans. *American journal of public health*. 1989;79(1):47-51.
9. Yasumura S, Shibata H. The effect of aging on the electrocardiographic findings in the elderly--a 10-year longitudinal study: the Koganei Study. *Archives of gerontology and geriatrics*. 1989;9(1):1-15.
10. Ho SC. Health and social predictors of mortality in an elderly Chinese cohort. *American journal of epidemiology*. 1991;133(9):907-21.
11. Hofman A, Grobbee DE, De Jong PTVM, Van den Ouweland FA. Determinants of disease and disability in the elderly: The Rotterdam elderly study. *European Journal of Epidemiology*. 1991;7(4):403-22.
12. Sparrow D, O'Connor GT, Rosner B, Segal MR, Weiss ST. The influence of age and level of pulmonary function on nonspecific airway responsiveness: The normative aging study. *American Review of Respiratory Disease*. 1991;143(5 I):978-82.
13. Amaducci L. Italian Longitudinal Study on Ageing: incidence study of dementia. *Neuroepidemiology*. 1992;11 Suppl 1:19-22.
14. Heikkinen RL. Patterns of experienced aging with a Finnish cohort. *International journal of aging & human development*. 1992;36(4):269-77.
15. Morgan K, Lilley J, Arie T, Byrne J, Jones R, Waite J. Incidence of dementia: preliminary findings from the Nottingham Longitudinal Study of Activity and Ageing. *Neuroepidemiology*. 1992;11 Suppl 1:80-3.
16. Osterberg T, Birkhed D, Johansson C, Svaborg A. Longitudinal study of stimulated whole saliva in an elderly population. *Scandinavian journal of dental research*. 1992;100(6):340-5.
17. Rakowski W, Mor V. The association of physical activity with mortality among older adults in the Longitudinal Study of Aging (1984-1988). *Journal of gerontology*. 1992;47(4):M122-9.
18. Busse EW. Duke University longitudinal studies of aging. *Zeitschrift für Gerontologie*. 1993;26(3):123-8.
19. Lengyel E. Twenty-year longitudinal study on aged people in Budapest. *Zeitschrift für Gerontologie*. 1993;26(3):156-62.
20. Letenneur L, Jacqmin H, Commenges D, Barberger-Gateau P, Dartigues JF, Salamon R. Cerebral and functional aging: first results on prevalence and incidence of the Paquid cohort. *Methods of information in medicine*. 1993;32(3):249-51.
21. Thomae H. Die Bonner Gerontologische Längsschnittstudie (BOLSA). = The Bonn Longitudinal Study on Aging (BOLSA). *Zeitschrift für Gerontologie*. 1993;26(3):142-50.
22. Jylha M. Ten-year change in the use of medical drugs among the elderly--a longitudinal study and cohort comparison. *Journal of clinical epidemiology*. 1994;47(1):69-79.
23. Braun MM, Caporaso NE, Page WF, Hoover RN. Prevalence of a history of testicular cancer in a cohort of elderly twins. *Acta geneticae medicae et gemellologiae*. 1995;44(3-4):189-92.
24. Lee J, Sparrow D, Vokonas PS, Landsberg L, Weiss ST. Uric acid and coronary heart disease risk: Evidence for a role of uric acid in the obesity-insulin resistance syndrome. *The Normative Aging Study*. *American Journal of Epidemiology*. 1995;142(3):288-94.



25. Stengard JH, Zerba KE, Pekkanen J, Ehnholm C, Nissinen A, Sing CF. Apolipoprotein E polymorphism predicts death from coronary heart disease in a longitudinal study of elderly Finnish men. *Circulation*. 1995;91(2):265-9.
26. Gale CR, Martyn CN, Cooper C. Cognitive impairment and mortality in a cohort of elderly people. *BMJ (Clinical research ed)*. 1996;312(7031):608-11.
27. Nicholson KG, Kent J, Hammersley V, Cancio E. Risk factors for lower respiratory complications of rhinovirus infections in elderly people living in the community: prospective cohort study. *BMJ (Clinical research ed)*. 1996;313(7065):1119-23.
28. Huijbregts P, Feskens E, Rasanen L, Fidanza F, Nissinen A, Menotti A, et al. Dietary pattern and 20 year mortality in elderly men in Finland, Italy, and The Netherlands: longitudinal cohort study. *BMJ (Clinical research ed)*. 1997;315(7099):13-7.
29. Weijenberg MP, Feskens EJ, Souvereijn JH, Kromhout D. Serum albumin, coronary heart disease risk, and mortality in an elderly cohort. *Epidemiology (Cambridge, Mass)*. 1997;8(1):87-92.
30. Hazuda HP, Wood RC, Lichtenstein MJ, Espino DV. Sociocultural status, psychosocial factors, and cognitive functional limitation in elderly Mexican Americans: Findings from the San Antonio longitudinal study of aging. *Journal of Gerontological Social Work*. 1998;30(1-2):99-121.
31. Hirsch R, Lethbridge-Cejku M, Hanson R, Scott WW, Jr., Reichle R, Plato CC, et al. Familial aggregation of osteoarthritis: data from the Baltimore Longitudinal Study on Aging. *Arthritis and rheumatism*. 1998;41(7):1227-32.
32. Mendelsohn AB, Belle SH, Stoehr GP, Ganguli M. Use of antioxidant supplements and its association with cognitive function in a rural elderly cohort: the MoVIES Project. *Monongahela Valley Independent Elders Survey. American journal of epidemiology*. 1998;148(1):38-44.
33. Schroll M. Are cardiovascular risk factors still predictive in the elderly? The longitudinal study of epidemiology of aging in Copenhagen County, Denmark. *Aging (Milan, Italy)*. 1998;10(2):167-8.
34. Baldereschi M, Di Carlo A, Maggi S, Grigoletto F, Scarlato G, Amaducci L, et al. Dementia is a major predictor of death among the Italian elderly. ILSA Working Group. *Italian Longitudinal Study on Aging. Neurology*. 1999;52(4):709-13.
35. Chi I, Chou KL. Financial strain and depressive symptoms among Hong Kong Chinese elderly: A longitudinal study. *Journal of Gerontological Social Work*. 1999;32(4):41-60.
36. Escalante A, Lichtenstein MJ, Dhanda R, Cornell JE, Hazuda HP. Determinants of hip and knee flexion range: results from the San Antonio Longitudinal Study of Aging. *Arthritis care and research : the official journal of the Arthritis Health Professions Association*. 1999;12(1):8-18.
37. Evans RM, Emsley CL, Sahota AS, Hall KS, Farlow MR, Hendrie HC. Serum Total Cholesterol, Apolipoprotein E [small element of]4 Allele, and Risk of Alzheimer's Disease in the Indianapolis Ibadan Study of Aging Cohort. *Neurology*. 1999;52(6) Supplement(2):A296.
38. Feldman H, Donald A, the ASG. A Comparative Diagnostic Study of the Canadian Study of Health and Aging (CSHA) with a Canadian Cohort of Related Dementias and the (ACCORD) Study. *Neurology*. 1999;52(6) Supplement(2):A431-A2.
39. Kannus P, Palvanen M, Kaprio J, Parkkari J, Koskenvuo M. Genetic factors and osteoporotic fractures in elderly people: prospective 25 year follow up of a nationwide cohort of elderly Finnish twins. *BMJ (Clinical research ed)*. 1999;319(7221):1334-7.
40. Tzourio C, Dufouil C, Ducimetiere P, Alperovitch A. Cognitive decline in individuals with high blood pressure: a longitudinal study in the elderly. *EVA Study Group. Epidemiology of Vascular Aging. Neurology*. 1999;53(9):1948-52.
41. Blazer D, Hybels C, Simonsick E, Hanlon JT. Sedative, hypnotic, and antianxiety medication use in an aging cohort over ten years: a racial comparison. *Journal of the American Geriatrics Society*. 2000;48(9):1073-9.
42. Costa M, Uchoa E, Guerra HL, Firmino JOA, Vidigal PG, Barreto SM. The Bambui health and ageing study (BHAS): methodological approach and preliminary results of a population-based cohort study of the elderly in Brazil. *Revista De Saude Publica*. 2000;34(2):126-35.
43. Cullum S, Huppert FA, McGee M, Dening T, Ahmed A, Paykel ES, et al. Decline across different domains of cognitive function in normal ageing: Results of a longitudinal population-based study using CAMCOG. *International Journal of Geriatric Psychiatry*. 2000;15(9):853-62.
44. Fortes C, Forastiere F, Farchi S, Rapiti E, Pastori G, Perucci CA. Diet and overall survival in a cohort of very elderly people. *Epidemiology (Cambridge, Mass)*. 2000;11(4):440-5.
45. Galanis DJ, Joseph C, Masaki KH, Petrovitch H, Ross GW, White L. A longitudinal study of drinking and cognitive performance in elderly Japanese American men: the Honolulu-Asia Aging Study. *American journal of public health*. 2000;90(8):1254-9.
46. Kunzmann U, Little TD, Smith J. Is age-related stability of subjective well-being a paradox? Cross-sectional and longitudinal evidence from the Berlin Aging Study. *Psychology and Aging*. 2000;15(3):511-26.
47. Maaravi Y, Berry EM, Ginsberg G, Cohen A, Stessman J. Nutrition and quality of life in the aged: the Jerusalem 70-year olds longitudinal study. *Aging (Milan, Italy)*. 2000;12(3):173-9.
48. Riedel-Heller SG, Schork A, Matschinger H, Angermeyer MC. Recruitment procedures and their impact on the prevalence of dementia - Results from the Leipzig Longitudinal Study of the Aged (LEILA75+). *Neuroepidemiology*. 2000;19(3):130-40.



49. Shimokata H, Ando F, Niino N. A new comprehensive study on aging--the National Institute for Longevity Sciences, Longitudinal Study of Aging (NILS-LSA). *Journal of epidemiology / Japan Epidemiological Association*. 2000;10(1 Suppl):S1-9.
50. Strandberg TE, Tilvis RS. C-reactive protein, cardiovascular risk factors, and mortality in a prospective study in the elderly. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 2000;20(4):1057-60.
51. Fleming DJ, Jacques PF, Tucker KL, Massaro JM, D'Agostino RB, Sr., Wilson PW, et al. Iron status of the free-living, elderly Framingham Heart Study cohort: an iron-replete population with a high prevalence of elevated iron stores. *The American journal of clinical nutrition*. 2001;73(3):638-46.
52. Gaulin P, Lefrancois R, Leclerc G, Dube M, Hebert R, Hamel S. A psychosocial portrait of defensive responders in the Quebec longitudinal study on aging. *Social Behavior and Personality*. 2001;29(4):405-16.
53. Ohta A, Aoki S, Takeuchi K, Yosiaki S, Suzuki S. Lifestyle and sociodemographic risk factors for death among middle-aged and elderly residents in japan from a five-year follow-up cohort study. *Journal of epidemiology / Japan Epidemiological Association*. 2001;11(2):51-60.
54. Riedel-Heller SG, Busse A, Aurich C, Matschinger H, Angermeyer MC. Incidence of dementia according to DSM-III-R and ICD-10: results of the Leipzig Longitudinal Study of the Aged (LEILA75+), Part 2. *The British journal of psychiatry : the journal of mental science*. 2001;179:255-60.
55. Seibert MJ, Xue QL, Fried LP, Walston JD. Polymorphic variation in the human myostatin (GDF-8) gene and association with strength measures in the Women's Health and Aging Study II cohort. *Journal of the American Geriatrics Society*. 2001;49(8):1093-6.
56. Unverzagt FW, Gao S, Baiyewu O, Ogunniyi AO, Gureje O, Perkins A, et al. Prevalence of cognitive impairment: Data from the Indianapolis Study of Health and Aging. *Neurology*. 2001;57(9):1655-62.
57. Amorim-Cruz JA, Haveman-Nies A, Schlettwein-Gsell D, De Henauw S. Gender, cohort and geographical differences in 10-year mortality in elderly people living in 12 European towns. *The journal of nutrition, health & aging*. 2002;6(4):269-74.
58. Andrews G, Clark M, Luszcz M. Successful aging in the Australian Longitudinal Study of Aging: Applying the MacArthur model cross-nationally. *Journal of Social Issues*. 2002;58(4):749-65.
59. Bae JM, Koo HW, Jung KO, Park BJ. A cohort study on the association between psychotropics and hip fracture in Korean elderly women. *Journal of Korean medical science*. 2002;17(1):65-70.
60. Hayakawa K, Shimizu T, Kato K, Onoi M, Kobayashi Y. A gerontological cohort study of aged twins: the Osaka University Aged Twin Registry. *Twin research : the official journal of the International Society for Twin Studies*. 2002;5(5):387-8.
61. Sin DD, McAlister FA. The effects of beta-blockers on morbidity and mortality in a population-based cohort of 11,942 elderly patients with heart failure. *The American journal of medicine*. 2002;113(8):650-6.
62. Smith J, Maas I, Mayer KU, Helmchen H, Steinhagen-Thiessen E, Baltes PB. Two-wave longitudinal findings from the Berlin Aging Study: Introduction to a collection of articles. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*. 2002;57B(6):P471-P3.
63. Takeshita J, Masaki K, Ahmed I, Foley DJ, Li YQ, Chen R, et al. Are depressive symptoms a risk factor for mortality in elderly Japanese American men?: The Honolulu-Asia aging study. *American Journal of Psychiatry*. 2002;159(7):1127-32.
64. Costa E, Barreto SM, Uchoa E, Lima-Costa MFF. Agreement between the Geriatric Depression Scale and the General Health Questionnaire in a population-based elderly cohort: The Bambuí Health & Ageing Study (BHAS). *Clinical Gerontologist: The Journal of Aging and Mental Health*. 2003;26(3-4):69-80.
65. Feil D, Marmon T, Unutzer J. Cognitive impairment, chronic medical illness, and risk of mortality in an elderly cohort. *The American journal of geriatric psychiatry : official journal of the American Association for Geriatric Psychiatry*. 2003;11(5):551-60.
66. Lindeman RD, Yau CL, Baumgartner RN, Morley JE, Garry PJ. Longitudinal study of fasting serum glucose concentrations in healthy elderly. *The New Mexico Aging Process Study. The journal of nutrition, health & aging*. 2003;7(3):172-7.
67. Menec VH. The relation between everyday activities and successful aging: a 6-year longitudinal study. *The journals of gerontology Series B, Psychological sciences and social sciences*. 2003;58(2):S74-82.
68. Visser M, Deeg DJH, Lips P. Low Vitamin D and High Parathyroid Hormone Levels as Determinants of Loss of Muscle Strength and Muscle Mass (Sarcopenia): The Longitudinal Aging Study Amsterdam. *Journal of Clinical Endocrinology and Metabolism*. 2003;88(12):5766-72.
69. Araujo AB, Mohr BA, McKinlay JB. Changes in Sexual Function in Middle-Aged and Older Men: Longitudinal Data from the Massachusetts Male Aging Study. *Journal of the American Geriatrics Society*. 2004;52(9):1502-9.
70. Fernando MS, Ince PG. Vascular pathologies and cognition in a population-based cohort of elderly people. *Journal of the neurological sciences*. 2004;226(1-2):13-7.
71. Finkel D, Pedersen NL. Processing speed and longitudinal trajectories of change for cognitive abilities: The Swedish Adoption/Twin Study of Aging. *Aging, Neuropsychology, and Cognition*. 2004;11(2-3):325-45.
72. Holvoet P, Kritchevsky SB, Tracy RP, Mertens A, Rubin SM, Butler J, et al. The metabolic syndrome, circulating oxidized LDL, and risk of myocardial infarction in well-functioning elderly people in the health, aging, and body composition cohort. *Diabetes*. 2004;53(4):1068-73.



73. Jiang J, Tang Z, Futatsuka M, Zhang K. Exploring the influence of depressive symptoms on physical disability: a cohort study of elderly in Beijing, China. *Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation*. 2004;13(7):1337-46.
74. Jylha M. Old age and loneliness: cross-sectional and longitudinal analyses in the Tampere Longitudinal Study on Aging. *Canadian journal on aging = La revue canadienne du vieillissement*. 2004;23(2):157-68.
75. Lagergren M, Fratiglioni L, Hallberg IR, Berglund J, Elmstahl S, Hagberg B, et al. A longitudinal study integrating population, care and social services data. *The Swedish National study on Aging and Care (SNAC)*. *Aging clinical and experimental research*. 2004;16(2):158-68.
76. Mojtabai R, Olfson M. Cognitive deficits and the course of major depression in a cohort of middle-aged and older community-dwelling adults. *Journal of the American Geriatrics Society*. 2004;52(7):1060-9.
77. Preziosi P, Czernichow S, Gehanno P, Hercberg S. Workplace air-conditioning and health services attendance among French middle-aged women: a prospective cohort study. *International journal of epidemiology*. 2004;33(5):1120-3.
78. Rosnick CB, Small BJ, Graves AB, Mortimer JA. The association between health and cognitive performance in a population-based study of older adults: The Charlotte county healthy aging study (CCHAS). *Aging, Neuropsychology, and Cognition*. 2004;11(1):89-99.
79. Valcour V, Shikuma C, Shiramizu B, Watters M, Poff P, Selnes OA, et al. Age, apolipoprotein E4, and the risk of HIV dementia: the Hawaii Aging with HIV Cohort. *Journal of neuroimmunology*. 2004;157(1-2):197-202.
80. Alberto A, Miguel GL, Alberto A, Alberto A. Psychosocial and health-related factors and two-year mortality rates in an elderly Mexican population: sample: Mexican Health Aging study. Based longitudinal cohort study derived from MHAS. *International Psychogeriatrics*. 2005;17:349-50.
81. Bennett DA, Schneider JA, Buchman AS, de Leon CM, Bienias JL, Wilson RS. The Rush Memory and Aging Project: Study design and baseline characteristics of the study cohort. *Neuroepidemiology*. 2005;25(4):163-75.
82. Blane D. Cohort Profile: The Boyd Orr lifegrid sub-sample—medical sociology study of life course influences on early old age. *International journal of epidemiology*. 2005.
83. Boyd CM, Xue QL, Guralnik JM, Fried LP. Hospitalization and development of dependence in activities of daily living in a cohort of disabled older women: the Women's Health and Aging Study I. *The journals of gerontology Series A, Biological sciences and medical sciences*. 2005;60(7):888-93.
84. Harris AH, Thoresen CE. Volunteering is associated with delayed mortality in older people: analysis of the longitudinal study of aging. *Journal of health psychology*. 2005;10(6):739-52.
85. Hussain SA, Lipton RB, Haut SR, Derby CA, Shinnar S. INCIDENCE OF EPILEPSY IN A RACIALLY-DIVERSE, COMMUNITY-DWELLING, ELDERLY COHORT: RESULTS FROM THE EINTSTEIN AGING STUDY: 3.197. *Epilepsia*. 2005;46 Supplement(8):344.
86. Landi F, Russo A, Cesari M, Barillaro C, Onder G, Zamboni V, et al. The iSiRENTe study: a prospective cohort study on persons aged 80 years and older living in a mountain community of Central Italy. *Aging clinical and experimental research*. 2005;17(6):486-93.
87. Lechevallier-Michel N, Berr C, Fourrier-Reglat A. Incidence and characteristics of benzodiazepine use in an elderly cohort: the EVA study. *Therapie*. 2005;60(6):561-6.
88. Spiers NA, Matthews RJ, Jagger C, Matthews FE, Boult C, Robinson TG, et al. Diseases and Impairments as Risk Factors for Onset of Disability in the Older Population in England and Wales: Findings From the Medical Research Council Cognitive Function and Ageing Study. *The Journals of Gerontology: Series A: Biological Sciences and Medical Sciences*. 2005;60A(2):248-54.
89. Trichopoulou A, Orfanos P, Norat T, Bueno-de-Mesquita B, Ocke MC, Peeters PH, et al. Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. *BMJ (Clinical research ed)*. 2005;330(7498):991.
90. van Hooren SAH, Valentijn SAM, Bosma H, Ponds RWHM, van Boxtel MPJ, Jolles J. Relation Between Health Status and Cognitive Functioning: A 6-Year Follow-Up of the Maastricht Aging Study. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*. 2005;60B(1):P57-P60.
91. Walter-Ginzburg A, Shmotkin D, Blumstein T, Shorek A. A gender-based dynamic multidimensional longitudinal analysis of resilience and mortality in the old-old in Israel: The cross-sectional and longitudinal aging study (CALAS). *Social Science & Medicine*. 2005;60(8):1705-15.
92. Zakai NA, Katz R, Hirsch C, Shlipak MG, Chaves PH, Newman AB, et al. A prospective study of anemia status, hemoglobin concentration, and mortality in an elderly cohort: the Cardiovascular Health Study. *Archives of internal medicine*. 2005;165(19):2214-20.
93. Brayne C, McCracken C, Matthews F. Cohort profile: the Medical Research Council Cognitive Function and Ageing Study (CFAS). *International journal of epidemiology*. 2006.
94. Foltynie T, Matthews FE, Ishihara L, Brayne C. The frequency and validity of self-reported diagnosis of Parkinson's Disease in the UK elderly: MRC CFAS cohort. *BMC neurology*. 2006;6:29.
95. Gaestel Y, Amieva H, Letenneur L, Dartigues JF, Fabrigoule C. Cube drawing performances in normal ageing and Alzheimer's disease: Data from the PAQUID elderly population-based cohort. *Dementia and geriatric cognitive disorders*. 2006;21(1):22-32.
96. Imai T, Nakamura M, Ando F, Shimokata H. Dietary supplement use by community-living population in Japan: data from the National Institute for Longevity Sciences Longitudinal Study of Aging (NILS-LSA). *Journal of epidemiology / Japan Epidemiological Association*. 2006;16(6):249-60.



97. Kaarilalo MM, Raiha I, Arve S, Lehtonen A. Impaired glucose tolerance as a risk factor for stroke in a cohort of non-institutionalised people aged 70 years. *Age and ageing*. 2006;35(6):592-6.
98. Maselko J, Kubzansky L, Kawachi I, Staudenmayer J, Berkman L. Religious service attendance and decline in pulmonary function in a high-functioning elderly cohort. *Annals of behavioral medicine : a publication of the Society of Behavioral Medicine*. 2006;32(3):245-53.
99. McGuire LC, Ford ES, Ajani UA. The impact of cognitive functioning on mortality and the development of functional disability in older adults with diabetes: the second longitudinal study on aging. *BMC Geriatrics*. 2006;6:8.
100. Netuveli G, Wiggins RD, Hildon Z, Montgomery SM, Blane D. Quality of life at older ages: evidence from the English longitudinal study of aging (wave 1). *Journal of Epidemiology and Community Health*. 2006;60(4):357-63.
101. Rocca WA, Grossardt BR, Peterson BJ, Bower JH, Trenerry MR, Ahlskog JE, et al. The Mayo Clinic cohort study of personality and aging: design and sampling, reliability and validity of instruments, and baseline description. *Neuroepidemiology*. 2006;26(3):119-29.
102. Rosset I, Roriz-Cruz M, Roriz-Filho JS, Partezani-Rodrigues R, De Souza AC. On the Brazilian elderly Amerindian heritage and the Very Old Italian-Brazilian Longitudinal Study on Aging. *Journal of the American Geriatrics Society*. 2006;54(5):856-7; author reply 8-9.
103. Zhai G, Blizzard L, Srikanth V, Ding C, Cooley H, Cicuttini F, et al. Correlates of knee pain in older adults: Tasmanian Older Adult Cohort Study. *Arthritis and rheumatism*. 2006;55(2):264-71.
104. Bryant LL, Grigsby J, Swenson C, Scarbro S, Baxter J. Chronic pain increases the risk of decreasing physical performance in older adults: The San Luis Valley Health and Aging Study. *The Journals of Gerontology: Series A: Biological Sciences and Medical Sciences*. 2007;62A(9):989-96.
105. Dahlgren A, Zethelius B, Jensevik K, Syvanen AC, Berne C. Variants of the TCF7L2 gene are associated with beta cell dysfunction and confer an increased risk of type 2 diabetes mellitus in the ULSAM cohort of Swedish elderly men. *Diabetologia*. 2007;50(9):1852-7.
106. Enoki H, Kuzuya M, Masuda Y, Hirakawa Y, Iwata M, Hasegawa J, et al. Anthropometric measurements of mid-upper arm as a mortality predictor for community-dwelling Japanese elderly: the Nagoya Longitudinal Study of Frail Elderly (NLS-FE). *Clinical nutrition (Edinburgh, Scotland)*. 2007;26(5):597-604.
107. Fleming J, Zhao E, O'Connor D, Pollitt P, ... Cohort profile: the Cambridge City over-75s Cohort (CC75C). *International journal of* 2007.
108. Martin S, Haren M, Taylor A, Middleton S, Wittert G. Cohort profile: the Florey Adelaide male ageing study (FAMAS). *International journal of* 2007.
109. McCallum J, Simons LA, Simons J. Private lives and public programs: an Australian longitudinal study of the elderly. *Journal of aging & social policy*. 2007;19(4):87-103.
110. Schmutte T, Harris S, Levin R, Zweig R, Katz M, Lipton R. The Relation Between Cognitive Functioning and Self-Reported Sleep Complaints in Nondemented Older Adults: Results From the Bronx Aging Study. *Behavioral Sleep Medicine*. 2007;5(1):39-56.
111. Alberto Avila-Funes J, Gray-Donald K, Payette H. Association of Nutritional Risk and Depressive Symptoms with Physical Performance in the Elderly: The Quebec Longitudinal Study of Nutrition as a Determinant of Successful Aging (NuAge). *Journal of the American College of Nutrition*. 2008;27(4):492-8.
112. Collaborators U. Cohort profile: the 45 and up study. *International Journal of Epidemiology*. 2008;37(5):941-7.
113. Hara C, Rocha FL, de Castro e Cost É, Fuzikawa C, Uclioa E, Lima-Costa MF. Prevalence of excessive daytime sleepiness in Brazilian community-dwelling older adults with very low levels of schooling and its association with sociodemographic characteristics and lifestyle: The Bambuí Health and Ageing Study (BHAS). *Jornal Brasileiro de Psiquiatria*. 2008;57(2):91-7.
114. Jhoo JH, Kim KW, Huh Y, Lee SB, Park JH, Lee JJ, et al. Prevalence of dementia and its subtypes in an elderly urban korean population: results from the Korean Longitudinal Study on Health And Aging (KLoSHA). *Dementia and geriatric cognitive disorders*. 2008;26(3):270-6.
115. Johnson W. Genetic and environmental links between brain and body in old age: Findings from the Longitudinal Study of Aging Danish Twins. *International Journal of Psychology*. 2008;43(3-4):534-.
116. Neuner B, Wellmann J, Dasch B, Dietzel M, Farwick A, Stoll M, et al. LOC387715, smoking and their prognostic impact on visual functional status in age-related macular degeneration-The Muenster Aging and Retina Study (MARS) cohort. *Ophthalmic epidemiology*. 2008;15(3):148-54.
117. Péres K, Jagger C, Matthews FE. Impact of late-life self-reported emotional problems on disability-free life expectancy: Results from the MRC cognitive function and ageing study. *International Journal of Geriatric Psychiatry*. 2008;23(6):643-9.
118. Rajan P, Kelsey KT, Schwartz JD, Bellinger DC, Weuve J, Spiro A, III, et al. Interaction of 6-Aminolevulinic acid dehydratase polymorphism and lead burden on cognitive function: The VA Normative Aging Study. *Journal of Occupational and Environmental Medicine*. 2008;50(9):1053-61.
119. Rodriguez-Barradas MC, Goulet J, Brown S, Goetz MB, Rimland D, Simberkoff MS, et al. Impact of pneumococcal vaccination on the incidence of pneumonia by HIV infection status among patients enrolled in the Veterans Aging Cohort 5-Site Study. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2008;46(7):1093-100.
120. Ryu K. The emotional experiences and subjective wellbeing of the elderly in Korea: The Hallym Longitudinal Study of aging. *International Journal of Psychology*. 2008;43(3-4):472-.



121. Scafato E, Galluzzo L, Gandin C, Ghirini S, Baldereschi M, Capurso A, et al. Marital and cohabitation status as predictors of mortality: a 10-year follow-up of an Italian elderly cohort. *Social science & medicine* (1982). 2008;67(9):1456-64.
122. Bind M-A, Zanobetti A, Schwartz J, Suh H, Vokonas P. Traffic-Related Pollutants and Inflammatory Markers in an Elderly Cohort: Veterans Administration Normative Aging Study. *Epidemiology* (Cambridge, Mass). 2009;20(6) November Supplement 2009, 2009 International Society for Environmental Epidemiology 21st Annual Conference Abstracts(Supplement):S144-S5.
123. Cumming R, Handelsman D, Seibel M, ... Cohort profile: the concord health and ageing in men project (CHAMP). *International journal of* 2009.
124. Ellis KA, Bush AI, Darby D, De Fazio D, Foster J, Hudson P, et al. The Australian Imaging, Biomarkers and Lifestyle (AIBL) study of aging: methodology and baseline characteristics of 1112 individuals recruited for a longitudinal study of Alzheimer's disease. *International Psychogeriatrics*. 2009;21(4):672-87.
125. Gabriel R, Alonso M, Reviriego B, Muniz J, Vega S, Lopez I, et al. Ten-year fatal and non-fatal myocardial infarction incidence in elderly populations in Spain: the EPICARDIAN cohort study. *BMC Public Health*. 2009;9:360.
126. Groffen DAI, Bosma H, van den Akker M, Kempen GIJM, van Eijk JTM. Personality and health as predictors of income decrease in old age: Findings from the longitudinal SMILE study. *European Journal of Public Health*. 2009;19(4):418-23.
127. Grossardt BRMS, Bower JHMDM, Geda YEMDM, Colligan RCP, Rocca WAMDMPH. Pessimistic, Anxious, and Depressive Personality Traits Predict All-Cause Mortality: The Mayo Clinic Cohort Study of Personality and Aging. *Psychosomatic Medicine*. 2009;71(5):491-500.
128. Hall PA, Dubin JA, Crossley M, Holmqvist ME, D'Arcy C. Does executive function explain the IQ-mortality association? Evidence from the Canadian Study on Health and Aging. *Psychosomatic Medicine*. 2009;71(2):196-204.
129. Iki M, Fujita Y, Tamaki J, Kouda K, Yura A, Kadokawa E, et al. Design and baseline characteristics of a prospective cohort study for determinants of osteoporotic fracture in community-dwelling elderly Japanese men: the Fujiwara-kyo osteoporosis risk in men (FORMEN) study. *BMC musculoskeletal disorders*. 2009;10:165.
130. Jacobs J, Cohen A, Bursztyn M, Azoulay D, Ein-Mor E, Stessman J. Cohort profile: the Jerusalem longitudinal cohort study. *International Journal of Epidemiology*. 2009;38(6):1464-9.
131. Kitamura T, Kawamura T, Tamakoshi A, Wakai K, Ando M, Ohno Y. Rationale, design, and profiles of the New Integrated Suburban Seniority Investigation (NISSIN) Project: a study of an age-specific, community-based cohort of Japanese elderly. *Journal of epidemiology / Japan Epidemiological Association*. 2009;19(5):237-43.
132. Lazovich D, Robien K, Cutler G, Virnig B, Sweeney C. Quality of life in a prospective cohort of elderly women with and without cancer. *Cancer*. 2009;115(18 Suppl):4283-97.
133. Marengoni A, von Strauss E, Rizzuto D, Winblad B, Fratiglioni L. The impact of chronic multimorbidity and disability on functional decline and survival in elderly persons. A community-based, longitudinal study. *Journal of internal medicine*. 2009;265(2):288-95.
134. McDonnell MC. The effects of developing a dual sensory loss on depression in older adults: A longitudinal study. *Journal of Aging and Health*. 2009;21(8):1179-99.
135. Ng TP, Broekman BFP, Niti M, Gwee X, Kua EH. Determinants of successful aging using a multidimensional definition among Chinese elderly in Singapore. *The American Journal of Geriatric Psychiatry*. 2009;17(5):407-16.
136. Olshansky SJ, Goldman DP, Zheng Y, Rowe JW. Aging in America in the twenty-first century: Demographic forecasts from the MacArthur Foundation Research Network on an Aging Society. *Milbank Quarterly*. 2009;87(4):842-62.
137. Ponholzer A, Madersbacher S, Rauchenwald M, Jungwirth S, Fischer P, Tragl KH. Serum androgen levels and their association to depression and Alzheimer dementia in a cohort of 75-year-old men over 5 years: results of the VITA study. *International journal of impotence research*. 2009;21(3):187-91.
138. Raina PS, Wolfson C, Kirkland SA, Griffith LE, Oremus M, Patterson C, et al. The Canadian longitudinal study on aging (CLSA). *Canadian journal on aging = La revue canadienne du vieillissement*. 2009;28(3):221-9.
139. Rathmann W, Strassburger K, Heier M, Holle R, Thorand B, Giani G, et al. Incidence of Type 2 diabetes in the elderly German population and the effect of clinical and lifestyle risk factors: KORA S4/F4 cohort study. *Diabetic medicine : a journal of the British Diabetic Association*. 2009;26(12):1212-9.
140. Schifano P, Cappai G, De Sario M, Michelozzi P, Marino C, Bargagli AM, et al. Susceptibility to heat wave-related mortality: a follow-up study of a cohort of elderly in Rome. *Environmental health : a global access science source*. 2009;8:50.
141. Seo JA, Kim BG, Cho H, Kim HS, Park J, Baik SH, et al. The cutoff values of visceral fat area and waist circumference for identifying subjects at risk for metabolic syndrome in elderly Korean: Ansan Geriatric (AGE) cohort study. *BMC Public Health*. 2009;9:443.
142. Shiovitz-Ezra S, Leitsch S, Gruber J, Karraker A. Quality of life and psychological health indicators in the National Social Life, Health, and Aging Project. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*. 2009;64B(Suppl 1):I30-17.
143. Suzuki E, Yorifuji T, Takao S, Komatsu H, Sugiyama M, Ohta T, et al. Green tea consumption and mortality among Japanese elderly people: the prospective Shizuoka elderly cohort. *Annals of epidemiology*. 2009;19(10):732-9.



144. Syddall H, Evandrou M, Cooper C, ... Social inequalities in grip strength, physical function, and falls among community dwelling older men and women: findings from the Hertfordshire Cohort Study. *Journal of aging and* 2009.
145. Viatonou S, Drame M, Jolly D, Morrone I, Lang PO, Voisin T, et al. Predictors of rapid cognitive decline among demented subjects aged 75 or more: ("Sujet Age Fragile--Evaluation et Suivi' Cohort-SAFES). *Int J Geriatr Psychiatry*. 2009;24(7):709-15.
146. Waite LJ, Laumann EO, Das A, Schumm LP. Sexuality: Measures of partnerships, practices, attitudes, and problems in National Social Life, Health, and Aging Study. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*. 2009;64B(Suppl 1):I56-I66.
147. Welsch MAF, Credeur DP, Johannsen D, Ravussin E, Jazwinski SM. Relationship Between Vasoreactivity And Structure In An Elderly Cohort Of The Louisiana Healthy Aging Study: 1601: Board #203 May 27 11:00 AM - 12:30 PM. *Medicine & Science in Sports & Exercise*. 2009;41(5) Supplement(1):67.
148. Zins M, Leclerc A, Goldberg M. The French GAZEL Cohort Study: 20 years of epidemiologic research. *Advances in Life Course Research*. 2009.
149. Anstey K, Byles J, Luszcz M, Mitchell P, Steel D, ... Cohort profile: The dynamic analyses to optimize ageing (DYNOPTA) project. *International journal of* 2010.
150. Bath PA, Deeg D, Poppelaars J. The harmonisation of longitudinal data: A case study using data from cohort studies in The Netherlands and the United Kingdom. *Ageing & Society*. 2010;30(8):1419-37.
151. Daly M, MacLachlan M. The role of perceived control and the apolipoprotein E gene in adjustment to illness in a cohort of elderly Taiwanese. *Psychology & Health*. 2010;25:189-90.
152. Denkinger MD, Franke S, Rapp K, Weinmayr G, Duran-Tauleria E, Nikolaus T, et al. Accelerometer-based physical activity in a large observational cohort - study protocol and design of the activity and function of the elderly in Ulm (ActiFE Ulm) study. *BMC Geriatrics*. 2010;10:50.
153. Gao X, Hofman A, Hu Y, Lin H, Zhu C, Jeekel J, et al. The Shanghai Changfeng Study: a community-based prospective cohort study of chronic diseases among middle-aged and elderly: objectives and design. *European journal of epidemiology*. 2010;25(12):885-93.
154. Kowall B, Rathmann W, Strassburger K, Heier M, Holle R, Thorand B, et al. Association of passive and active smoking with incident type 2 diabetes mellitus in the elderly population: the KORA S4/F4 cohort study. *European journal of epidemiology*. 2010;25(6):393-402.
155. Luppia M, Luck T, Matschinger H, Koenig H-H, Riedel-Heller SG. Predictors of nursing home admission of individuals without a dementia diagnosis before admission - results from the Leipzig Longitudinal Study of the Aged (LEILA 75+). *Bmc Health Services Research*. 2010;10.
156. Muñoz AM, Falque-Madrid L, Ch. Zambrano R, Maestre GE. Basic anthropometry and health status of elderly: Findings of the Maracaibo Aging Study. *Journal of Aging and Health*. 2010;22(2):242-61.
157. Sachdev PS, Brodaty H, Reppermund S, Kochan NA, Trollor JN, Draper B, et al. The Sydney Memory and Ageing Study (MAS): methodology and baseline medical and neuropsychiatric characteristics of an elderly epidemiological non-demented cohort of Australians aged 70-90 years. *International psychogeriatrics / IPA*. 2010;22(8):1248-64.
158. Syddall H, Simmonds S, Martin H, Watson C, ... Cohort profile: The hertfordshire ageing study (HAS). *International journal of* 2010.
159. Vaes B, Pasquet A, Wallémacq P, Rezzoug N, Mekouar H, Olivier PA, et al. The BELFRAIL (BFC80+) study: a population-based prospective cohort study of the very elderly in Belgium. *BMC Geriatrics*. 2010;10:39.
160. Vaughan CP, Brown CJ, Goode PS, Burgio KL, Allman RM, Johnson TM, 2nd. The association of nocturia with incident falls in an elderly community-dwelling cohort. *International journal of clinical practice*. 2010;64(5):577-83.
161. Carcaillon L, Alhenc-Gelas M, Bejot Y, Spaft C, Ducimetiere P, Ritchie K, et al. Increased thrombin generation is associated with acute ischemic stroke but not with coronary heart disease in the elderly: the Three-City cohort study. *Arteriosclerosis, thrombosis, and vascular biology*. 2011;31(6):1445-51.
162. Duron J-JMD, Duron EMD, Dugue TMD, Pujol JMD, Muscari FMD, Collet DMD, et al. Risk Factors for Mortality in Major Digestive Surgery in the Elderly: A Multicenter Prospective Study. *Annals of Surgery*. 2011;254(2):375-82.
163. Gale C, Sayer A, Cooper C, ... Factors associated with symptoms of anxiety and depression in five cohorts of community-based older people: the HALCYon (Healthy Ageing across the Life Course) *Psychological* 2011.
164. Germing A, Gotzmann M, Schikowski T, Vierkotter A, Ranft U, Kramer U, et al. High frequency of diastolic dysfunction in a population-based cohort of elderly women - but poor association with the symptom dyspnea. *BMC Geriatrics*. 2011;11:71.
165. Gombojav B, Yi SW, Sull JW, Nam CM, Ohrr H. Combined effects of cognitive impairment and hypertension on total mortality in elderly people: the Kangwha Cohort study. *Gerontology*. 2011;57(6):490-6.
166. Haan MN, Al-Hazzouri AZ, Aiello AE. Life-span socioeconomic trajectory, nativity, and cognitive aging in Mexican Americans: The Sacramento Area Latino Study on Aging. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*. 2011;66B(Suppl 1):102-10.
167. Huisman M, Poppelaars J, Horst Mvd, ... Cohort profile: the longitudinal aging study Amsterdam. *International Journal of* 2011.
168. Kearney PM, Cronin H, O'Regan C, Kamiya Y, Savva GM, Whelan B, et al. Cohort profile: the Irish Longitudinal Study on Ageing. 2011.



169. Kuh D, Pierce M, Adams J, Deanfield J, Ekelund U, ... Cohort profile: updating the cohort profile for the MRC National Survey of Health and Development: a new clinic-based data collection for ageing research. International journal of 2011.
170. Lima-Costa MF. The Bambui Cohort Study of Aging (1997-2008). Cadernos de saude publica. 2011;27 Suppl 3:S324-6.
171. Lima-Costa MF, Firmo JO, Uchoa E. Cohort profile: the Bambui (Brazil) Cohort Study of Ageing. International journal of epidemiology. 2011;40(4):862-7.
172. Moller J, Björkenstam E, Ljung R, Yngwe MA. Widowhood and the risk of psychiatric care, psychotropic medication and all-cause mortality: a cohort study of 658,022 elderly people in Sweden. Aging & mental health. 2011;15(2):259-66.
173. Montlahuc C, Soumare A, Dufouil C, Berr C, Dartigues JF, Poncet M, et al. Self-rated health and risk of incident dementia: a community-based elderly cohort, the 3C study. Neurology. 2011;77(15):1457-64.
174. Nishi A, Kondo K, Hirai H, Kawachi I. Cohort profile: the ages 2003 cohort study in Aichi, Japan: wwwlive.who.int; 2011.
175. Nummela O, Seppanen M, Uutela A. The effect of loneliness and change in loneliness on self-rated health (SRH): a longitudinal study among aging people. Archives of gerontology and geriatrics. 2011;53(2):163-7.
176. Paganini-Hill A, Kawas CH, Corrada MM. Activities and mortality in the elderly: the Leisure World cohort study. The journals of gerontology Series A, Biological sciences and medical sciences. 2011;66(5):559-67.
177. Pedone C, Napoli N, Pozzilli P, Rossi FF, Lauretani F, Bandinelli S, et al. Dietary pattern and bone density changes in elderly women: a longitudinal study. Journal of the American College of Nutrition. 2011;30(2):149-54.
178. Schaap L, Peeters G, Project on OSteoArthritis (EPOSA): methodological challenges in harmonization of existing data from five European population-based cohorts on aging: biomedcentral.com; 2011.
179. Valenzuela M, Brayne C, Sachdev P, Wilcock G, Matthews F. Cognitive lifestyle and long-term risk of dementia and survival after diagnosis in a multicenter population-based cohort. American journal of epidemiology. 2011;173(9):1004-12.
180. Walker R, Luszcz M, Gerstorf D, Hoppmann C. Subjective well-being dynamics in couples from the Australian longitudinal study of aging. Gerontology. 2011;57(2):153-60.
181. Wu Y-J, Hung C-L, Chen JC, Wang S-D, Wu T-W, Wang S-W, et al. J-001 A COMMUNITY-BASED ADULT COHORT STUDY ON AGING-RELATED DISORDERS: METABOLIC SYNDROME AND CAROTID ATHEROSCLEROSIS. Journal of Hypertension. 2011;29 e-Supplement(B):e24.
182. Zahodne LB, Glymour MM, Sparks C, Bontempo D, Dixon RA, MacDonald SWS, et al. Education Does Not Slow Cognitive Decline with Aging: 12-Year Evidence from the Victoria Longitudinal Study. Journal of the International Neuropsychological Society. 2011;17(6):1039-46.
183. Assoumou HG, Gaspoz JM, Sforza E, Pichot V, Celle S, Maudoux D, et al. Obstructive sleep apnea and the metabolic syndrome in an elderly healthy population: the SYNAPSE cohort. Sleep & breathing = Schlaf & Atmung. 2012;16(3):895-902.
184. Botsenouan A, Liang J. The effect of stability and change in health behaviors on trajectories of body mass index in older Americans: A 14-year longitudinal study. The Journals of Gerontology: Series A: Biological Sciences and Medical Sciences. 2012;67A(10):1075-84.
185. Chen X, Huang Y, Cheng HG. Lower intake of vegetables and legumes associated with cognitive decline among illiterate elderly Chinese: a 3-year cohort study. The journal of nutrition, health & aging. 2012;16(6):549-52.
186. Desplenter F, Lavikainen P, Hartikainen S, Sulkava R, Bell JS. Sedative use and incident cognitive decline among persons aged 75 years and older: a population-based longitudinal study. International psychogeriatrics / IPA. 2012;24(1):48-54.
187. Dong X, Simon MA, Evans DA. Prevalence of self-neglect across gender, race, and socioeconomic status: Findings from the Chicago Health and Aging Project. Gerontology. 2012;58(3):258-68.
188. Drame M, Lang PO, Novella JL, Narbey D, Mahmoudi R, Laniece I, et al. Six-month outcome of elderly people hospitalized via the emergency department: the SAFES cohort. Revue d'épidémiologie et de santé publique. 2012;60(3):189-96.
189. Fang X, Shi J, Song X, Mitnitski A, Tang Z, Wang C, et al. Frailty in relation to the risk of falls, fractures, and mortality in older Chinese adults: results from the Beijing Longitudinal Study of Aging. The journal of nutrition, health & aging. 2012;16(10):903-7.
190. Hirai H, Kondo K, Kawachi I. Social Determinants of Active Aging: Differences in Mortality and the Loss of Healthy Life between Different Income Levels among Older Japanese in the AGES Cohort Study. Current Gerontology and Geriatrics Research. 2012;2012.
191. Jacobs J, Stessman J, Ein-Mor E, ... Hypertension and 5-year mortality among 85-year-olds: The Jerusalem Longitudinal Study. Journal of the American 2012.
192. Kern S, Skoog I, Ostling S, Kern J, Borjesson-Hanson A. Does low-dose acetylsalicylic acid prevent cognitive decline in women with high cardiovascular risk? A 5-year follow-up of a non-demented population-based cohort of Swedish elderly women. BMJ Open. 2012;2(5).
193. Mortensen LH, Maier AB, Slagbom PE, Pawelec G, Derhovanessian E, Petersen I, et al. Early-life environment influencing susceptibility to cytomegalovirus infection: evidence from the Leiden Longevity Study and the Longitudinal Study of Aging Danish Twins. Epidemiology and infection. 2012;140(5):835-41.



194. Mosing MA, Medland SE, McRae A, Landers JG, Wright MJ, Martin NG. Genetic influences on life span and its relationship to personality: A 16-year follow-up study of a sample of aging twins. *Psychosomatic Medicine*. 2012;74(1):16-22.
195. Peres K, Matharan F, Allard M, Amieva H, Baldi I, Barberger-Gateau P, et al. Health and aging in elderly farmers: the AMI cohort. *BMC Public Health*. 2012;12:558.
196. Pierucci P, Misciagna G, Ventura MT, Inguaggiato R, Cisternino AM, Guerra VM, et al. Diet and myocardial infarction: a nested case-control study in a cohort of elderly subjects in a Mediterranean area of southern Italy. *Nutrition, metabolism, and cardiovascular diseases : NMCD*. 2012;22(9):727-33.
197. Rosero-Bixby L, Dow WH. Predicting mortality with biomarkers: a population-based prospective cohort study for elderly Costa Ricans. *Population Health Metrics*. 2012;10:11.
198. Saint Martin M, Sforza E, Barthelemy JC, Thomas-Anterion C, Roche F. Does subjective sleep affect cognitive function in healthy elderly subjects? The Proof cohort. *Sleep medicine*. 2012;13(9):1146-52.
199. Smallwood A, Oulhaj A, Joachim C, Christie S, Sloan C, Smith AD, et al. Cerebral subcortical small vessel disease and its relation to cognition in elderly subjects: a pathological study in the Oxford Project to Investigate Memory and Ageing (OPTIMA) cohort. *Neuropathology and applied neurobiology*. 2012;38(4):337-43.
200. Stephenson A, Seitz DP, Fischer HD, Gruneir A, Bell CM, Gershon AS, et al. Cholinesterase inhibitors and adverse pulmonary events in older people with chronic obstructive pulmonary disease and concomitant dementia: a population-based, cohort study. *Drugs & aging*. 2012;29(3):213-23.
201. Tom SE, Cooper R, Wallace RB, Guralnik JM. Type and Timing of Menopause and Later Life Mortality Among Women in the Iowa Established Populations for the Epidemiological Study of the Elderly Cohort. *Journal of Women's Health*. 2012;21(1):10-6.
202. Tomata Y, Kakizaki M, Nakaya N, Tsuboya T, Sone T, Kuriyama S, et al. Green tea consumption and the risk of incident functional disability in elderly Japanese: the Ohsaki Cohort 2006 Study. *The American journal of clinical nutrition*. 2012;95(3):732-9.
203. Yong V, Saito Y. Are there education differentials in disability and mortality transitions and active life expectancy among Japanese older adults? Findings from a 10-year prospective cohort study. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*. 2012;67B(3):343-53.
204. Ahn SY, Ryu J, Baek SH, Kim S, Na KY, Kim KW, et al. Incident Chronic Kidney Disease and Newly Developed Complications Related to Renal Dysfunction in an Elderly Population during 5 Years: A Community-Based Elderly Population Cohort Study. *PLoS One*. 2013;8(12).
205. Bertin P, Becquemont L, Corruble E, Derumeaux G, Falissard B, Hanon O, et al. The therapeutic management of chronic pain in ambulatory care patients aged 65 and over in France: the SAGES Cohort. Baseline data. *The journal of nutrition, health & aging*. 2013;17(8):681-6.
206. Börsch-Supan A, Brandt M, Hunkler C, Kneip T, ... Data resource profile: the Survey of Health, Ageing and Retirement in Europe (SHARE). *International journal of* 2013.
207. Confavreux CB, Szulc P, Casey R, Boutroy S, Varennes A, Vilayphiou N, et al. Higher serum osteocalcin is associated with lower abdominal aortic calcification progression and longer 10-year survival in elderly men of the MINOS cohort. *The Journal of clinical endocrinology and metabolism*. 2013;98(3):1084-92.
208. Cronin H, O'Regan C, Finucane C, Kearney P, Kenny RA. Health and aging: development of the Irish Longitudinal Study on Ageing health assessment. *Journal of the American Geriatrics Society*. 2013;61 Suppl 2:S269-78.
209. Espinoza SEMD, Jung IP, Hazuda HP. The Hispanic Paradox and Predictors of Mortality in an Aging Biethnic Cohort of Mexican Americans and European Americans: The San Antonio Longitudinal Study of Aging. *Journal of the American Geriatrics Society*. 2013;61(9):1522-9.
210. Hosseini SR, Cumming RG, Kheirkhah F, Nooreddini H, Baiani M, Mikaniki E, et al. Cohort profile: the Amirkola Health and Ageing Project (AHAP). *International journal of epidemiology*. 2013.
211. Kizer JR, Benkeser D, Arnold AM, Djousse L, Zieman SJ, Mukamal KJ, et al. Total and high-molecular-weight adiponectin and risk of coronary heart disease and ischemic stroke in older adults. *Journal of Clinical Endocrinology and Metabolism*. 2013;98(1):255-63.
212. Klein D, Nagel G, Kleiner A, Ulmer H, Rehberger B, Concin H, et al. Blood pressure and falls in community-dwelling people aged 60 years and older in the VHM&PP cohort. *BMC Geriatrics*. 2013;13:50.
213. Lee D, Pye S, Tajar A, O'Neill T, Finn J, ... Cohort Profile: The European Male Ageing Study. *International journal of* 2013.
214. Liu CL, Lin MH, Peng LN, Chen LK, Su CT, Liu LK, et al. Late-life metabolic syndrome prevents cognitive decline among older men aged 75 years and over: one-year prospective cohort study. *The journal of nutrition, health & aging*. 2013;17(6):523-6.
215. Liu H, Gao S, Hall KS, Unverzagt FW, Lane KA, Callahan CM, et al. Optimal blood pressure for cognitive function: findings from an elderly African-American cohort study. *Journal of the American Geriatrics Society*. 2013;61(6):875-81.
216. Menon C, Westervelt HJ, Jahn DR, Dressel JA, O'Bryant SE. Normative performance on the Brief Smell Identification Test (BSIT) in a multi-ethnic bilingual cohort: A Project FRONTIER study. *The Clinical neuropsychologist*. 2013;27(6):946-61.
217. Moayyeri A, Hammond CJ, Valdes AM, Spector TD. Cohort Profile: TwinsUK and Healthy Ageing Twin Study. *International Journal of Epidemiology*. 2013;42(1):76-85.



218. Mokri H, Avila-Funes JA, Meillon C, Gutierrez Robledo LM, Amieva H. Normative data for the Mini-Mental State Examination, the Free and Cued Selective Reminding Test and the Isaacs Set Test for an older adult Mexican population: the Coyoacan cohort study. *The Clinical neuropsychologist*. 2013;27(6):1004-18.
219. Möttus R, Luciano M, Starr J, Pollard M, ... Personality traits and inflammation in men and women in their early 70s: the Lothian birth cohort 1936 study of healthy aging. *Psychosomatic* 2013.
220. Steptoe A, Breeze E, Banks J, Nazroo J. Cohort Profile: The English Longitudinal Study of Ageing. *International Journal of Epidemiology*. 2013;42(6):1640-8.
221. Teng PR, Yeh CJ, Lee MC, Lin HS, Lai TJ. Change in depressive status and mortality in elderly persons: results of a national longitudinal study. *Archives of gerontology and geriatrics*. 2013;56(1):244-9.
222. Tsai AC, Chi S-H, Wang J-Y. Cross-sectional and longitudinal associations of lifestyle factors with depressive symptoms in ≥53-year old Taiwanese—Results of an 8-year cohort study. *Preventive Medicine: An International Journal Devoted to Practice and Theory*. 2013;57(2):92-7.
223. Avlund K, Osler M, Mortensen E, ... Copenhagen Aging and Midlife Biobank (CAMB) An Introduction. *Journal of aging and* 2014.
224. Bertram L, Bockenhoff A, Demuth I, Duzel S, Eckardt R, Li SC, et al. Cohort profile: The Berlin Aging Study II (BASE-II). *International journal of epidemiology*. 2014;43(3):703-12.
225. Gow AJ, Avlund K, Mortensen EL. Occupational characteristics and cognitive aging in the Glostrup 1914 Cohort. *The journals of gerontology Series B, Psychological sciences and social sciences*. 2014;69(2):228-36.
226. Lee JM, Lee WJ, Kim HC, Choi W, Lee J, Sung K, et al. The Korean Social Life, Health and Aging Project-Health Examination Cohort. *Epidemiology and Health*. 2014;36.
227. Sonnega A, Faul JD, Ofstedal MB, Langa KM, Phillips JWR, Weir DR. Cohort Profile: the Health and Retirement Study (HRS). *International Journal of Epidemiology*. 2014;43(2):576-85.
228. Tomata Y, Watanabe T, Sugawara Y, Chou WT, Kakizaki M, Tsuji I. Dietary patterns and incident functional disability in elderly Japanese: the Ohsaki Cohort 2006 study. *The journals of gerontology Series A, Biological sciences and medical sciences*. 2014;69(7):843-51.